Search Results

Search Results for: [lock<AND>((translat% AND instruction AND branch))]
Found 11 of 360,977 searched.

Search within Results

> Advanced Search > Search Help/Tips

Sort by: **Title** **Publication** **Publication Date** **Score** Binder

Results 1 - 11 of 11 **short listing**

1 Interoperability of multiple autonomous databases 77%
Witold Litwin , Leo Mark , Nick Roussopoulos
ACM Computing Surveys (CSUR) September 1990
Volume 22 Issue 3

Database systems were a solution to the problem of shared access to heterogeneous files created by multiple autonomous applications in a centralized environment. To make data usage easier, the files were replaced by a globally integrated database. To a large extent, the idea was successful, and many databases are now accessible through local and long-haul networks. Unavoidably, users now need shared access to multiple autonomous databases. The question is what the corresponding methodology ...

2 Program Transformation Systems 77%
H. Partsch , R. Steinbrüggen
ACM Computing Surveys (CSUR) September 1983
Volume 15 Issue 3

3 HOOD design method and control/command techniques for the develpment of realtime software 77%
P. Vielcanet
Proceedings of the sixth Washington Ada symposium on Ada July 1989

4 Explicit multi-threading (XMT) bridging models for instruction parallelism (extended abstract) 77%
Uzi Vishkin , Shlomit Dascal , Efraim Berkovich , Joseph Nuzman
Proceedings of the tenth annual ACM symposium on Parallel algorithms and architectures June 1998

5 The reflexive CHAM and the join-calculus 77%
Cédric Fournet , Georges Gonthier
Proceedings of the 23rd ACM SIGPLAN-SIGACT symposium on Principles of programming languages January 1996

6 Extensibility safety and performance in the SPIN operating system 77%
B. N. Bershad , S. Savage , P. Pardyak , E. G. Sirer , M. E. Fiuczynski , D. Becker , C. Chambers , S. Eggers
ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles December 1995
Volume 29 Issue 5

7 An instruction fetch unit for a graph reduction machine 77%
S. S. Thakkar , W. E. Hostmann
ACM SIGARCH Computer Architecture News , Proceedings of the 13th annual international symposium on Computer architecture June 1986

Volume 14 Issue 2

The G-machine provides architecture support for the evaluation of functional programming languages by graph reduction. This paper describes an instruction fetch unit for such an architecture that provides a high throughput of instructions, low latency and adequate elasticity in the instruction pipeline. This performance is achieved by a hybrid instruction set and a decoupled RISC architecture. The hybrid instruction set consists of complex instructions that reflect the abstract architecture ...

8 Query evaluation techniques for large databases 77%
Goetz Graefe
ACM Computing Surveys (CSUR) June 1993
Volume 25 Issue 2

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide

acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

9 Stimulus response machines 77%
George W. Cherry
Proceedings of the conference on TRI-Ada '92 December 1992

10 The ObjectStore database system 77%
Charles Lamb , Gordon Landis , Jack Orenstein , Dan Weinreb
Communications of the ACM October 1991
Volume 34 Issue 10

11 The hierarchical simulation language HSL 77%
D. P. Sanderson , R. Sharma , R. Rozin , S. Treu
ACM Transactions on Modeling and Computer Simulation (TOMACS)
April 1991
Volume 1 Issue 2

Results 1 - 11 of 11 **short listing**

Search Results

Search Results for: [translat% AND emulat%]
Found 1 of 360,977 searched.

Search within Results

> Advanced Search > Search Help/Tips

Sort by: **Title** **Publication** **Publication Date** **Score** Binder

Results 1 - 1 of 1 **short listing**

1 Dynamic rescheduling 77%
Thomas M. Conte , Sumedh W. Sathaye
Proceedings of the 28th annual international symposium on Microarchitecture December 1995

Results 1 - 1 of 1 **short listing**

Search Results

Search Results for: [lock<AND>((instruction and branch%<AND>((translat% AND interpret%))))]
Found 6 of 360,977 searched.

Search within Results

1 Interoperability of multiple autonomous databases 77%
Witold Litwin , Leo Mark , Nick Roussopoulos
ACM Computing Surveys (CSUR) September 1990
Volume 22 Issue 3
Database systems were a solution to the problem of shared access to heterogeneous files created by multiple autonomous applications in a centralized environment. To make data usage easier, the files were replaced by a globally integrated database. To a large extent, the idea was successful, and many databases are now accessible through local and long-haul networks. Unavoidably, users now need shared access to multiple autonomous databases. The question is what the corresponding methodology ...

2 The reflexive CHAM and the join-calculus 77%
Cédric Fournet , Georges Gonthier
Proceedings of the 23rd ACM SIGPLAN-SIGACT symposium on Principles of programming languages January 1996

3 Extensibility safety and performance in the SPIN operating system 77%
B. N. Bershad , S. Savage , P. Pardyak , E. G. Sirer , M. E. Fiuczynski , D. Becker , C. Chambers , S. Eggers

ACM SIGOPS Operating Systems Review , Proceedings of the fifteenth ACM symposium on Operating systems principles December 1995
Volume 29 Issue 5

4 An instruction fetch unit for a graph reduction machine 77%
S. S. Thakkar , W. E. Hostmann
ACM SIGARCH Computer Architecture News , Proceedings of the 13th annual international symposium on Computer architecture June 1986
Volume 14 Issue 2

The G-machine provides architecture support for the evaluation of functional programming languages by graph reduction. This paper describes an instruction fetch unit for such an architecture that provides a high throughput of instructions, low latency and adequate elasticity in the instruction pipeline. This performance is achieved by a hybrid instruction set and a decoupled RISC architecture. The hybrid instruction set consists of complex instructions that reflect the abstract architecture ...

5 Query evaluation techniques for large databases 77%
Goetz Graefe
ACM Computing Surveys (CSUR) June 1993
Volume 25 Issue 2

Database management systems will continue to manage large data volumes. Thus, efficient algorithms for accessing and manipulating large sets and sequences will be required to provide acceptable performance. The advent of object-oriented and extensible database systems will not solve this problem. On the contrary, modern data models exacerbate the problem: In order to manipulate large sets of complex objects as efficiently as today's database systems manipulate simple records, query-processi ...

6 The hierarchical simulation language HSL 77%
D. P. Sanderson , R. Sharma , R. Rozin , S. Treu
ACM Transactions on Modeling and Computer Simulation (TOMACS) April 1991
Volume 1 Issue 2

Results 1 - 6 of 6 **short listing**